



Free Mammograms, Clinical Breast Exams, Pap Tests and Treatment, if Needed

# Arkansas' BreastCare Program is All About Women's Health.

and your community. Through the BreastCare program, the state of Arkansas is committed to helping keep you healthy. Early detection and treatment are the best weapons against breast and cervical cancers, so we're helping Arkansas women take an active role in the battle.

If you qualify, BreastCare can provide:

Free Mammograms

Free Clinical Breast Exams

Free Pelvic Exams and Pap Tests

Free Follow-up Tests

and Treatment, if needed

## An Arkansas Program for Arkansas Women

Our best chance to help Arkansas women fight breast cancer is by early detection and treatment. Through the BreastCare program, we're making sure that no one

slips through the cracks for lack of money needed to get yearly mammograms, clinical breast exams, pelvic exams and Pap tests. BreastCare is for Arkansas women who:



- are 40 and over
- meet income eligibility requirements
- are uninsured or underinsured (large co-pay or deductible)



# Are There Any Costs?

If you qualify, the mammogram, clinical breast exam and Pap test are absolutely free to you.

Sometimes a mammogram or Pap test may result in the need for more tests or treatment. BreastCare is here to

help you with these costs; however, any insurance you have will be billed first. If you are diagnosed with cancer, a small co-pay may be required for any prescribed drugs and your stay in the hospital.



# Find Out If You're Eligible. It's Easy.

Just call 1-877-670-CARE (2273). The BreastCare hotline is answered here in Arkansas. When you call, one of our hotline staff will give you the names of participating BreastCare providers in your area and even schedule an appointment for you.

FREE BreastCare services are offered by healthcare providers in towns and cities all over Arkansas, so chances are there's a BreastCare provider near you.

### We're With You All the Way.

If you qualify for FREE BreastCare services, we will enroll you over the phone and mail you your personal ID card along with complete information about the BreastCare program. Once you're registered, the BreastCare hotline staff will schedule your appointment for a FREE mammogram with the BreastCare provider you select.

We will also schedule your appointment for a FREE pelvic exam and Pap test if you qualify.

## What is a Mammogram?

The best tool for finding breast cancer early is a mammogram. A mammogram is an X-ray of the breast performed at a hospital or outpatient radiology facility. There are two basic types of mammograms: screening and diagnostic. A screening mammogram is an X-ray of the breast of a woman who has no symptoms. A diagnostic mammogram is an X-ray used to evaluate unusual breast changes. Several X-rays are taken to obtain pictures of the breast from different angles to help the doctor make an accurate diagnosis.

### What is a Pap Test?

A Pap test is a simple, reasonably painless procedure that can be performed by a healthcare professional as part of a pelvic exam. A small sample of cells is collected from the cervix, transferred to a slide and examined under a microscope. There's no need to be afraid or nervous. Most Pap tests and pelvic exams take just a few minutes and are performed right in your healthcare provider's exam room.

## Things to Remember Before Your Exams

#### For a mammogram:

- Make sure your mammogram appointment is not scheduled for the week before your period when your breasts may be more tender. Track your periods and see whether they usually fall in the early, middle, or late part of the month. Then try to schedule your appointment for the week following your period.
- On the day of your appointment, do not wear deodorant or talcum powder. These products can interfere with the test result.
- Wear a button-up blouse or two-piece outfit for ease and comfort in the dressing room.

#### For your Pap test:

- Don't have sex for at least 24 48 hours before your exam.
- Don't use vaginal creams or other vaginal products.
- Don't douche at least 24 48 hours prior to the exam.

### Take Control of Your Breast Health.

#### **Breast Screening Guidelines**

- Women 20 and over Be familiar with your breasts.
   It is acceptable for women in this age group not to do breast self-exams or to do them occasionally. Women should report any breast changes promptly to their health care provider.
- Women 20 to 39 Clinical breast examinations (CBE) should be part of a woman's periodic physical examination about every three years.
- Women 40 and over See your doctor every year for a CBE as well as a mammogram.

#### Know the risks for breast cancer.

- Female
- Age: At 50 the risk doubles
- Personal history of breast cancer: A woman who has had cancer in one breast is more likely to develop it in the other breast or in the remaining breast tissue
- First degree family history (e.g. mother, father, sister, brother, daughter, son)
- Previous breast biopsy
- Began menstrual periods at an early age (12 or younger)
- No live births or first birth after age 30

### Changes you can make to reduce your risk

- Stop smoking
- Get more exercise
- Maintain a healthy weight
- Reduce your exposure to estrogen by taking birth control pills and hormone replacement therapy for shorter intervals of time
- Learn about nutrition and eat a healthy diet

## Take Control of Your Cervical Health.

#### **Cervical Screening Guidelines**

- Women should have a Pap test with a pelvic exam every year starting at age 21 or within three years of becoming sexually active.
- After three normal Pap tests in a row, your doctor may decide to perform the Pap test less often.
- Women who have had a hysterectomy (surgery to remove the uterus and cervix) do not need to have a Pap test unless the surgery was done as a treatment for an abnormal Pap test or cancer.

#### Know the risks for cervical cancer.

- Human Papillomavirus (HPV) infection
- Sex at an early age, sex with multiple partners, or sex with someone who has had multiple partners
- DES exposure diethylstilbestrol, a drug given to mothers during pregnancy to prevent miscarriage – used from 1940 - 1970
- Smoking
- Human Immunodeficiency Virus (HIV) infection
- Oral contraceptives

## Changes you can make to reduce your risk of cervical cancer

- Avoid exposure to HPV
- · Detect abnormal cells by having regular Pap tests
- Stop smoking
- Avoid risky sexual behaviors



